


Section C: Prehung Entry Systems and Jamb Kits - Configurations A - D

Prehanging: We can Prehang all 28 of the following entry configurations using our 2-8 or 3-0 wide and 6-8 or 8-0 tall doors, sidelights, and transoms.

Prehung units include interior casing, and brick mold, door sweep, weatherstripping, and adjustable threshold, plus 3 hinges on 6-8 doors and 4 hinges on 8-0 doors. Sub-Casing is optional - please specify. Standard prehang includes use of Mahogany or Knotty Alder jamb, frame, and sash components. Prehung units may be ordered unfinished or prefinished to match your door. Please note that, for entryways with sidelites, we use Fat Boy mull posts between the door and sidelites instead of double jamb legs whenever possible. This allows for the use of a continuous sill below.

Jamb Kits: Our Mahogany Jamb Kits include the necessary component parts to construct the following entry configurations. These kits are not mortised, bored, or fitted, and include components length materials only - assembly is required. Kits do not include door, glass, sill, transom frames (where applicable) or hardware. Jamb Kits are only available in Mahogany. Transom frames with or without decorative glass are also available to fit most jamb kit with transom configurations. **NOTE- Configurations are available with or without a subcasing. Order stock number to order without subcasing mounted on the frame.**

Pricing: for both mahogany kits and prehung units is listed on pages 32 and 33 - refer to the "entry configuration" style listed.



6-8 height single door entry


Single 6'8" Door • entry configuration "A"

Prehung Unit: Single 30", 32", or 36" x 6-8 Door for 4-5/8" or 6-5/8" thick walls.

Jamb Kit: includes 7' jamb legs, header, brick mould, interior casing, sub casing, quarter round, and compression weatherstrip. Kit may be used with 3-0 or 2-8 door widths. Does not include door, sill, hardware or glass panel.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
Single 30", 32", 36" x 6-8 door Prehung Unit	38-1/2" x 83-1/2"	PH100 - 684	PH100 - 686
Single 30", 32", 36" x 6-8 door 6-8 door Jamb Kit		JK100 - 684	JK100 - 686

rough opening shown is for 36" wide door



6-8 height single door entry with Transom

6'8" Door with 36" Half Circle Transom • entry configuration "B"

Prehung Unit: Single 36" x 6-8 Door 3-0 wide with half circle transom for 4-5/8" or 6-5/8" applications

Jamb Kit: includes 7' jamb legs, header, radius transom frame, brick mould, interior casing, sub casing, quarter round, and compression weatherstrip. Kit may be used with 3-0 only. Does not include door, sill, hardware, or glass panel. Transom sash not available for this configuration.

	<u>rough opening</u>	<u>4 5/8" width kit</u>	<u>6 5/8" width kit</u>
Single 36" x 6-8 door/Half Round Transom PreHung Unit	38-1/2" x 103"	PH100-684HT	PH100-686HT
Single 36" x 6-8 door & Half Round Transom Jamb Kit		JK100-684HT	JK100-686HT


6'8" Door with two Sidelights • entry configuration "C"

Prehung Unit: Single 32" or 36" wide 6-8 Door with 12" or 14" wide sidelights

Jamb Kit: includes 7' jamb legs, header, brick mould, interior and exterior mullions, interior casing, sub casing, quarter round, and compression weatherstrip. Kit does not include door or sidelights, sill, hardware, or glass panels.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
6-8 door & two 12" sidelights Prehung Unit	65-1/2" x 83-1/2"	PH120 - 684	PH120 - 686
6-8 door & two 14" sidelights Prehung Unit	69 1/2" x 83 1/2"	PH120 - 684	PH120 - 686
32" or 36" x 6-8 door & two 12" sidelights Jamb Kit		JK120 - 684	JK120 - 686
32" or 36" x 6-8 door & two 14" sidelights Jamb Kit		JK120 - 684	JK120 - 686

rough opening shown is for 36" wide door



6-8 height single door with 2 sidelights

6-8 Door with two Sidelights and Rectangular Transom • entry config "D"


Prehung Unit: Single 32" or 36" wide 6-8 Door 3-0 wide with two sidelights and a rectangular transom for 4-5/8" or 6-5/8" applications. Transom is either 12" or 14" high.

Jamb Kits: include 7' jamb legs, door header, top and bottom transom jambs, interior casing, brick mould, interior and exterior mullions, sub casing, quarter round, and compression weatherstrip. Does not include door, sidelights, transom sash, sill, hardware, or glass panels.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
6-8 door/ 2-12" sidelights/ 12" transom Prehung Unit	65-1/2" x 97"	PH121 - 684RT	PH121 - 686RT
6-8 door/ 2-14" sidelights/ 12" transom Prehung Unit	69-1/2" x 97"	PH121 - 684RT	PH121 - 686RT
6-8 door/ 2-12" sidelights/ 14" transom Prehung Unit	65-1/2" x 99"	PH121 - 684RT	PH121 - 686RT
6-8 door/ 2-14" sidelights/ 14" transom Prehung Unit	69-1/2" x 99"	PH121 - 684RT	PH121 - 686RT

6-8 door/ 2-12" sidelights/ 12" transom Jamb Kit	JK121 - 684RT	JK121 - 686RT
6-8 door/ 2-14" sidelights/ 12" transom Jamb Kit	JK121 - 684RT	JK121 - 686RT
6-8 door/ 2-12" sidelights/ 14" transom Jamb Kit	JK121 - 684RT	JK121 - 686RT
6-8 door/ 2-14" sidelights/ 14" transom Jamb Kit	JK121 - 684RT	JK121 - 686RT


rough opening shown is for 36" wide door



6-8 height door, 2 sidelights, and rectangular transom

Section C: Prehung Entry Systems and Jamb Kits - Configurations E - I

NOTE- Configurations are available with or without a subcasing. Order stock number to order without subcasing mounted on the 1




6-8 height door, two sidelights, and elliptical transom

6-8 Door with two Sidelights and Elliptical Transom • entry config "E"

Prehung Unit: Single 32" or 36" x 6-8 Door and 2 sidelights (either 12" or 14"), plus a matching elliptical Transom Frame, unit is for 4-5/8" or 6-5/8" thick walls.

Jamb Kit: include 7' jamb legs, transom frame, door header, brick mould, interior and exterior mullions, sub casing, interior casing, quarter round, and compression weatherstrip. Does not include door, sidelights, transom sash, hardware, sill, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
32" x 6-8 door/ two-14" sidelights/transom Prehung Unit	65 1/2" x 104 1/4"	PH12132-684ET	PH12132-686ET
36" x 6-8 door/ two-12" sidelights & transom Prehung Unit	65 1/2" x 102 1/4"	PH121-644ET	PH121-646ET
36" x 6-8 door/ two-14" sidelights/transom Prehung Unit	69 1/2" x 104 1/4"	PH121-684ET	PH121-686ET
32" x 6-8 door/ two-14" sidelights/transom Jamb Kit		JK12132-684ET	JK12132-686ET
36" x 6-8 door/ two-12" sidelights/transom Jamb Kit		JK121-644ET	JK121-646ET
36" x 6-8 door/ two-14" sidelights/transom Jamb Kit		JK121-684ET	JK121-686ET



6-8 height door, 2 sidelights, and half circle transom

6-8 Door with two Sidelights and Half Circle Transom • entry config "F"

Prehung Unit: Single 6-8 Door x 36" or 32" wide and 2 sidelights (either 12" or 14"), plus a matching half circle Transom Frame, unit is for 4-5/8" or 6-5/8" thick walls.

Jamb Kit: includes jamb legs, transom frame, door header, brick mould, sub casing, interior casing, interior and exterior mullions, quarter round, and compression weatherstrip. Does not include door, sidelights, transom sash, sill, hardware, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
32" x 6-8 door/ 2-14" sidelights/transom Prehung Unit	65-1/2" x 118-1/4"	PH12132 - 684HT	PH12132 - 686HT
36" x 6-8 door/ 2-12" sidelights/transom Prehung Unit	65-1/2" x 116-1/4"	PH121 - 644HT	PH121 - 646HT
36" x 6-8 door/ 2-14" sidelights/transom Prehung Unit	69-1/2" x 118-1/4"	PH121 - 684HT	PH121 - 686HT
32" x 6-8 door/ 2-14" sidelights/transom Jamb Kit		JK121 - 684HT	JK121 - 686HT
36" x 6-8 door/ 2-12" sidelights/transom Jamb Kit		JK121 - 644HT	JK121 - 646HT
36" x 6-8 door/ 2-14" sidelights/transom Jamb Kit		JK121 - 684HT	JK121 - 686HT



6-8 height double door entry

Two 6'8" Doors • entry configuration "G"

Prehung Unit: Double 6-8 tall Doors x 30", 32", or 36" wide, unit is for 4-5/8" or 6-5/8" thick walls.

Jamb Kit: includes 7' jamb legs, header, brick mould, interior casing, sub casing, quarter round, t-astragal, and compression weatherstrip. Does not include doors, sill, hardware, or glass panel. Kit may be used for 3-0 or 2-8 or 2-6 wide doors.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
Double doors 6-8 entry - Prehung Unit	75" x 83 1/2"	PH200 - 684	PH200 - 686
Double 6-8 entry - Jamb Kit		JK200 - 684	JK200 - 686




6-8 height double doors with 2 sidelights

Two 6'8" Doors with two Sidelights • entry configuration "H"

Prehung Unit: Double Doors 30", 32", or 36" x 6-8 tall with two 10", 12", or 14" wide sidelights, unit is for 4-5/8" or 6-5/8" thick walls.

Jamb Kit: includes 7' jamb legs, header, brick mould, interior and exterior mullions, sub casing, interior casing, quarter round, t-astragal, and compression weatherstrip. Does not include doors, sill, hardware, or glass panel. Kit may be used for 3-0 or 2-8 or 2-6 wide doors.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 6-8 doors & two 12" wide sidelights Prehung Unit	102" x 83-1/2"	PH220 - 684	PH220 - 686
two 6-8 doors & two 14" wide sidelights Prehung Unit	106" x 83-1/2"	PH220 - 684	PH220 - 686
two 6-8 doors & two 12" wide sidelights Jamb Kit		JK220 - 684	JK220 - 686
two 6-8 doors & two 14" wide sidelights Jamb Kit		JK220 - 684	JK220 - 686



6-8 height double doors with rectangular transom unit

Two 6'8" Doors with Rectangular Transom • entry configuration "I"

Prehung Unit: Double 32" or 36" Doors x 6-8 high with rectangular transom, unit is for 4-5/8" or 6-5/8" walls.


Jamb Kit: includes 7' jamb legs, door header, top and bottom transom jambs, brick mould, interior and exterior mullions, sub casing, interior casing, quarter round, t-astragal, and compression weatherstrip. Does not include doors, sill, transom sash, hardware or glass panel. Transom sash not required if direct set glass is used.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 6-8 doors & 12" rectangular transom Prehung Unit	75" x 97"	PH201 - 684RT	PH201 - 686RT
two 6-8 doors & 14" rectangular transom Prehung Unit	75" x 99"	PH201 - 684RT	PH201 - 686RT
two 6-8 doors & 12" rectangular transom Jamb Kit		JK201 - 684RT	JK201 - 686RT
two 6-8 doors & 14" rectangular transom Jamb Unit		JK201 - 684RT	JK201 - 686RT

rough opening shown is for 36" wide door

Section C: Prehung Entry Systems and Jamb Kits - *Configurations J - N*

NOTE- Configurations are available with or without a subcasing. ~~MOAB~~ Under stock number to order without subcasing mounted on the frame.




6-8 height double doors with elliptical transom unit

Two 6-8 Doors and Elliptical Transom • entry configuration “J”

Prehung Unit: Double Doors x 36” wide with Elliptical transom, unit is for 4-5/8” or 6-5/8” walls.

Jamb Kits: includes 7’ jamb legs, door header, transom frame, interior casing, sub casing, brick mould, interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. Does not include doors, sill, hardware, transom sash, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8” width</u>	<u>6 5/8” width</u>
Two 36” x 6-8 doors & elliptical transom Prehung Unit	75” x 104-1/4”	PH201 - 684ET	PH201 - 686ET
Two 36” x 6-8 doors & elliptical transom Jamb Kit	75” x 104-1/4”	JK201 - 684ET	JK201 - 686ET



6-8 height double doors with half circle transom unit


Two 6-8 Doors with Half Circle Transom • entry configuration “K”

Prehung Unit: Double Doors x 36” wide with Half Circle transom, unit is for 4-5/8” or 6-5/8” walls.

Jamb Kits: includes 7’ jamb legs, door header, transom frame, sub casing, brick mould, interior casing, interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. 6 5/8” unit also includes jamb unit extenders. Does not include doors, hardware, sill, transom sash, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8” width</u>	<u>6 5/8” width</u>
two 36” x 6-8 doors & half circle transom Prehung Unit	75” x 121-1/4”	PH201 - 684HT	PH201 - 686HT
two 36” x 6-8 doors & half circle transom Jamb Kit		JK201 - 684HT	JK201 - 686HT

8 foot Entry Configurations



8-0 height single door entry


Single 8-0 Door • entry configuration “L”

Prehung Unit: Single door 8’0” x 32”, or 36” wide. Unit is for 4-5/8” or 6-5/8” walls.

Jamb Kits: includes 9’ jamb legs, header, sub casing, brick mould, interior casing, quarter round, and compression weatherstrip. Does not include sill, hardware, door or glass. Kit may be used for 3-0 or 2-8 wide doors.

	<u>rough opening</u>	<u>4 5/8” width</u>	<u>6 5/8” width</u>
Single 32” or 36” x 8-0 door Prehung Unit	38-1/2” x 99-1/2”*	JK100 - 804	JK100 - 806
Single for 32” or 36” x 8-0 door Jamb Kit		JK100 - 804	JK100 - 806

*rough opening shown is for 36” wide door



8-0 height single door entry with Transom

8-0 Door with 36” Half Circle Transom • entry configuration “M”

Prehung Unit: Single door 8’0” x 36” wide with half circle transom, unit is for 4-5/8” or 6-5/8” walls.

Jamb Kits: includes 9’ jamb legs, header, brick mould, sub casing, interior casing, quarter round, radius transom frame and compression weatherstrip. Does not include sill, hardware, door or glass. Transom sash not available for this transom shape.

	<u>rough opening</u>	<u>4 5/8” width</u>	<u>6 5/8” width</u>
3-0 x 8-0 door with Radius Transom Prehung Unit	38-1/2” x 119”	JK100-804HT	JK100-806HT
3-0 x 8-0 door with Radius Transom Jamb Kit		JK100-804HT	JK100-806HT


8-0 Door with two 12” or 14” Sidelights • entry configuration “N”

Prehung Unit: Single door 8’0” x 32” or 36” wide with 2 sidelights, unit is for 4-5/8” or 6-5/8” walls.

Jamb Kits: includes 9’ jamb legs, header, brick mould, sub casing, interior and exterior mullions, quarter round, and compression weatherstrip. Does not include door, sidelights, hardware, sill, or glass panels. Kit may be used for 3-0 wide or 2-8 wide doors.

	<u>rough opening</u>	<u>4 5/8” width</u>	<u>6 5/8” width</u>
32” or 36” x 8-0 door & two 12” sidelights Prehung Unit	65-1/2” x 99-1/2”*	JK120 - 804	JK120 - 806
32” or 36” x 8-0 door & two 14” sidelights Prehung Unit	69 1/2” x 99 1/2”*	JK120 - 804	JK120 - 806
32” or 36” x 8-0 door & two 12” sidelights Jamb Kit		JK120 - 804	JK120 - 806
32” or 36” x 8-0 door & two 14” sidelights Jamb Kit		JK120 - 804	JK120 - 806

*rough opening shown is for 36” wide door



8-0 height single door with 2 sidelights

Section C: Prehung Entry Systems and Jamb Kits - Configurations O - R


NOTE- Configurations are available with or without a subcasing. Order stock number to order without subcasing mounted on the f

8-0 Door with two Sidelights and Rectangular Transom • entry config "O"

Prehung Unit: Single 8-0 Door x 32" or 36" wide, two 12" or 14" wide sidelights, with Rectangular transom. Unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, door header, sub casing, top and bottom transom jambs, brick mould, interior and exterior mullions, interior casing, quarter round, and compression weatherstrip. Does not include door, sill, hardware, transom sash, sidelights, or glass panels.



8-0 door sidelights rectangular transom


	rough opening	4 5/8" width	6 5/8" width
8-0 door & two -12" sidelights w/ 12" transom Prehung	65-1/2" x 113"	PH121 - 804RT	PH121 - 806RT
8-0 door & two -14" sidelights w/ 12" transom Prehung	69-1/2" x 113"	PH121 - 804RT	PH121 - 806RT
8-0 door & two - 12" sidelights w/ 14" transom Prehung	65-1/2" x 115"	PH121 - 804RT	PH121 - 806RT
8-0 door & two - 14" sidelights w/ 14" transom Prehung	69-1/2" x 115"	PH121 - 804RT	PH121 - 806RT
8-0 door & two -12" sidelights w/ 12" transom Jamb Kit		JK121 - 804RT	JK121 - 806RT
8-0 door & two -14" sidelights w/ 12" transom Jamb Kit		JK121 - 804RT	JK121 - 806RT
8-0 door & two - 12" sidelights w/ 14" transom Jamb Kit		JK121 - 804RT	JK121 - 806RT
8-0 door & two - 14" sidelights w/ 14" transom Jamb Kit		JK121 - 804RT	JK121 - 806RT

8-0 Door with two Sidelights and Elliptical Transom • entry configuration "P"

Prehung Unit: Single 8-0 Door x 32" or 36" wide, two 12" or 14" wide sidelights, with Elliptical transom. Unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, transom frame, interior casing, sub casing, door header, brick mould, interior and exterior mullions, quarter round, and compression weatherstrip. Does not include door, hardware, sidelights, transom sash, sill, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.



8-0 door 2 sidelights and elliptical transom


	rough opening	4 5/8" width	6 5/8" width
32" x 8-0 door & two-14" sidelights w/ transom Prehung	65-1/2" x 120-1/4"	PH12132 - 884ET	PH12132 - 886ET
36" x 8-0 door & two-12" sidelights w/ transom Prehung	65-1/2" x 118-1/4"	PH121 - 844ET	PH121 - 846ET
36" x 8-0 door & two-14" sidelights w/ transom Prehung	69-1/2" x 120-1/4"	PH121 - 884ET	PH121 - 886ET
32" x 8-0 door & two-14" sidelights w/ transom Jamb Kit		JK12132 - 884ET	JK12132 - 886ET
36" x 8-0 door & two-12" sidelights w/ transom Jamb Kit		JK121 - 844ET	JK121 - 846ET
36" x 8-0 door & two-14" sidelights w/ transom Jamb Kit		JK121 - 884ET	JK121 - 886ET

8-0 Door with two 12" Sidelights and Half Circle Transom • entry config "Q"

Prehung Unit: Single 8-0 Door x 32" or 36" wide, two 12" or 14" wide sidelights, with Half Circle transom. Unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, transom frame interior casing, door header, brick mould, interior and exterior mullions, sub casing, quarter round, and compression weatherstrip. Does not include hardware, door, transom sash, sill, or sidelights. Transom sash not required if direct set glass is used, but sash is available separately.



8-0 door sidelights half circle transom


	rough opening	4 5/8" width	6 5/8" width
32" x 8-0 door /two-14" sidelights w/ transom Prehung	65-1/2" x 134-1/2"	PH12132 - 884HT	PH12132 - 886HT
36" x 8-0 door /two-12" sidelights w/ transom Prehung	65-1/2" x 132-1/2"	PH121 - 844HT	PH121 - 846HT
36" x 8-0 door /two-14" sidelights w/ transom Prehung	69-1/2" x 134-1/2"	PH121 - 884HT	PH121 - 886HT
32" x 8-0 door /two-14" sidelights w/ transom Jamb Kit		JK12132 - 884HT	JK12132 - 886HT
36" x 8-0 door /two-12" sidelights w/ transom Jamb Kit		JK121 - 844HT	JK121 - 846HT
36" x 8-0 door /two-14" sidelights w/ transom Jamb Kit		JK121 - 884HT	JK121 - 886HT

Two 8-0 Doors • entry configuration "R"

Prehung Unit: Double 8-0 Doors x 32" or 36" wide. Unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, header, brick mould, sub casing, interior casing, quarter round, t-astragal, and compression weatherstrip. Does not include hardware, doors, sill, or glass panel. Kit may be used for 3-0 or 2-8 wide doors.



8-0 height double door entry


	rough opening	4 5/8" width	6 5/8" width
Double 32" or 36" x 8-0 doors entry Prehung	75" x 99 1/2"*	PH200 - 804	PH200 - 806
Double 32" or 36" x 8-0 doors Jamb Kit		JK200 - 804	JK200 - 806

*rough opening shown is for 36" wide door

Section C: Prehung Entry Systems and Jamb Kits - *Configurations S - V*

NOTE- Configurations are available with or without a subcasing. Order stock number to order without subcasing mounted on the frame.

Two 8-0 Doors with two Sidelights • entry configuration “ S ”




8-0 height double door with 2 sidelights

Prehung Unit: Double 8'0" x 32" or 36" wide Doors with two 12" or 14" sidelights, unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, header, brick mould, interior and exterior mullions, interior casing, sub casing, quarter round, t-astragal, and compression weatherstrip. Does not include doors, hardware, sidelights, sill, or glass panel. Kit may be used for 3-0 or 2-8 wide doors.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 8-0 doors & two 12" wide sidelights Prehung Unit	102" x 99-1/2"	PH220 - 804	PH220 - 806
two 8-0 doors & two 14" wide sidelights Prehung Unit	106" x 99-1/2"	PH220 - 804	PH220 - 806
two 8-0 doors & two 12" wide sidelights Jamb Kit		JK220 - 804	JK220 - 806
two 8-0 doors & two 14" wide sidelights Jamb Kit		JK220 - 804	JK220 - 806



8-0 doors & rectangular transom


Two 8-0 Doors with Rectangular Transom • entry configuration “ T ”

Prehung Unit: Double 8'0" x 32" or 36" Doors with Rectangular Transom, unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, door header, top and bottom transom jambs, sub casing, brick mould, interior casing interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. Does not include doors, transom sash, hardware, or glass panel.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 8-0 doors & 12" rectangular transom Prehung Unit	75" x 113"	PH201 - 804RT	PH201 - 806RT
two 8-0 doors & 14" rectangular transom Prehung Unit	75" x 115"	PH201 - 804RT	PH201 - 806RT
two 8-0 doors & 12" rectangular transom Jamb Kit		JK201 - 804RT	JK201 - 806RT
two 8-0 doors & 14" rectangular transom Jamb Kit		JK201 - 804RT	JK201 - 806RT



8-0 doors & elliptical transom


Two 8-0 Doors and Elliptical Transom • entry configuration “ U ”

Prehung Unit: Double 8'0" x 36" wide Doors with Elliptical Transom, unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, door header, transom frame, sub casing, brick mould, interior casing, interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. Does not include doors, transom sash, hardware, sill, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 8-0 doors & elliptical transom	75" x 120-1/4"	PH201 - 804ET	PH201 - 806ET
two 8-0 doors & elliptical transom		JK201 - 804ET	JK201 - 806ET



8-0 doors & half circle transom

Two 8-0 Doors with Half Circle Transom • entry configuration “ V ”

Prehung Unit: Double 8'0" x 36" wide Doors with Half Circle Transom, unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, door header, transom frame, sub casing, brick mould, interior casing, interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. Does not include doors, transom sash, sill, hardware, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 8-0 doors & half circle transom	75" x 137-1/4"	PH201 - 804HT	PH201 - 806HT
two 8-0 doors & half circle transom		JK201 - 804HT	JK201 - 806HT

Section C: Prehung Entry Systems and Jamb Kits - Configurations W - AB

NOTE- Configurations are available with or without a subcasing. ~~NO ADD~~ Order stock number to order without subcasing mounted on the 1




Single 6'-8" door with 2 Sidelights and Segment Head Transom

6-8 Door with two Sidelights and Segment Head Transom • entry config "W"

Prehung Unit: Single 6-8 Door x 32" or 36" wide and 2 sidelights (either 12" or 14"), plus a matching Segment Head Transom Frame, unit is for 4-5/8" or 6-5/8" thick walls.

Jamb Kit: includes jamb legs, transom frame, door header, brick mould, interior casing, sub casing, interior and exterior mullions, quarter round, and compression weatherstrip. Does not include door, sidelights, transom sash, sill, hardware, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
32" x 6-8 door/ 2-14" sidelights/transom Prehung Unit	65-1/2" x 105 3/4"	PH12132 - 684SHF	PH12132 - 686SHF
36" x 6-8 door/ 2-12" sidelights/transom Prehung Unit	65-1/2" x 104 5/8"	PH121 - 644SHF	PH121 - 646SHF
36" x 6-8 door/ 2-14" sidelights/transom Prehung Unit	69-1/2" x 105 3/4"	PH121 - 684SHF	PH121 - 686SHF
32" x 6-8 door/ 2-14" sidelights/transom Jamb Kit		JK12132 - 684SHF	JK12132 - 686SHF
36" x 6-8 door/ 2-12" sidelights/transom Jamb Kit		JK121 - 644SHF	JK121 - 646SHF
36" x 6-8 door/ 2-14" sidelights/transom Jamb Kit		JK121 - 684SHF	JK121 - 686SHF




Double 6'-8" doors with Segment Head Transom

Two 6-8 Doors with Segment Head Transom • entry configuration "X"

Prehung Unit: Double Doors x 36" wide with Segment Head transom, unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits: includes 7' jamb legs, door header, transom frame, brick mould, interior casing, sub casing, interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. Does not include doors, hardware, sill, transom sash, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 36" 6-8 doors & Segment Head transom Prehung	75" x 107 3/4"	PH201 - 684SHF	PH201 - 686SHF
two 36" 6-8 doors & Segment Head transom Jamb Kit		JK201 - 684SHF	JK201 - 686SHF




Single 8' door with 2 Sidelights and Segment Head Transom

8-0 Door / two Sidelights and Segment Head Transom • entry configuration "Y"

Prehung Unit: Single 8-0 Door x 32" or 36" wide, two 12" or 14" wide sidelights, with Segment Head transom. Unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits: includes 9' jamb legs, transom frame, interior casing, sub casing, door header, brick mould, interior and exterior mullions, quarter round, and compression weatherstrip. Does not include door, sidelights, hardware, transom sash, sill, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
32" x 8-0 door & two-14" sidelights w/ transom Prehung	65-1/2" x 121-3/4"	PH12132 - 884SHF	PH12132 - 886SHF
36" x 8-0 door & two-12" sidelights w/ transom Prehung	65-1/2" x 120 5/8"	PH121 - 844SHF	PH121 - 846SHF
36" x 8-0 door & two-14" sidelights w/ transom Prehung	69-1/2" x 121-3/4"	PH121 - 884SHF	PH121 - 886SHF
32" x 8-0 door & two-14" sidelights w/ transom Jamb Kit		JK12132 - 884SHF	JK12132 - 886SHF
36" x 8-0 door & two-12" sidelights w/ transom Jamb Kit		JK121 - 844SHF	JK121 - 846SHF
36" x 8-0 door & two-14" sidelights w/ transom Jamb Kit		JK121 - 884SHF	JK121 - 886SHF



Double 8' doors with Segment Head Transom


Two 8-0 Doors and Segment Head Transom • entry configuration "Z"

Prehung Unit: Double 8'0" x 3-0 Doors with Segment Head Transom, unit is for 4-5/8" or 6-5/8" walls.

Jamb Kits:

includes 9' jamb legs, door header, transom frame, brick mould, interior casing, sub casing, interior and exterior mullions, quarter round, t-astragal, and compression weatherstrip. Does not include doors, transom sash, hardware, sill, or glass panels. Transom sash not required if direct set glass is used, but sash is available separately.

	<u>rough opening</u>	<u>4 5/8" width</u>	<u>6 5/8" width</u>
two 8-0 doors & Segment Head transom Prehung Unit	75" x 123-3/4"	PH201 - 804SHF	PH201 - 806SHF
two 8-0 doors & Segment Head transom Jamb Kit		JK201 - 804SHF	JK201 - 806SHF



Single 8' round top door

Single 8' round top with full surround sidelights & transom unit

Radius Top Door and Radius Top Surround Entry • entry configuration AA & AB

Prehung Unit: Single 8-0 x 36" or 42" wide radius top door or surround entry for 4-5/8" or 6-5/8" walls.

Jamb Kits:

The radius top doors and the radius top surround entry are sold only with the complete frame package. The doors or the frames or surround are not sold individually. See the door price list for a complete listing of these doors and surrounds. Prices listed include the entire unit with frames.

	<u>rough opening - 36" door</u>	<u>rough opening - 42" door</u>
radius top door	38 1/2" x 99 1/2"	44 1/2" x 99 1/2"
surround entryway	69 1/2" x 114 3/4"	75 1/2" x 114 3/4"

Section C: Pricing on Jamb Kits, Prehangs, Components and Prefinishing of standard entryways

Listed below is our **suggested retail pricing** Jamb Kits, Prehanging, and Prefinishing for standard entryway configurations shown on pages 24 to 29. Discounts may apply to all retail prices listed. Prefinish charge includes finishing of entire unit, including door or doors, sidelites, transom frame and sash, jamb legs, etc. Finish charge only applies when ordered with Prehung Unit, and is additional to the "prehang cost" listed. **Add "WO" suffix to the Jamb Kit or the Prehang Unit numbers below to order without subcasing installed** **Pricing on finishing individual doors and com is shown at the bottom of the next page.**

6-8 height - 4-5/8" jamb width Single and Double Door Entryway Configurations

Prehang Unit Number	Jamb Kit Number	Entryway Description	Entryway Configuration	jamb kit	prehang cost	finish 1 charge	finish 2 charge	finish 3 charge
PH100 684	JK100 684	4-5/8" Entry for single 30", 32", or 36" x 6-8 Door	A	\$250	\$545	\$750	\$1050	\$1050
PH100 684HT	JK100 684HT	4-5/8" Entry 36" x 6-8 Door & 36" Half Circle Small Transom	B	\$725	\$1104	\$1100	\$1540	\$1540
CSL120 684	JK120 684	4-5/8" Entry 32" or 36" x 6-8 Door & two 12" or 14" Sidelites	C	\$550	\$1194	\$1350	\$1890	\$1890
CSL121 644ET	JK121 644ET	4-5/8" Entry 36"x 6-8 door & two 12" sides & EJ6418 Ellip transom	E	\$1175	\$1974	\$1650	\$2310	\$2310
CSL121 644HT	JK121 644HT	4-5/8" Entry 36" x 6-8 door&two 12" sides &HJ6432 HalfCirc.Trans	F	\$1175	\$2190	\$1650	\$2310	\$2310
CSL121 644SHF	JK121 644SHF	4-5/8" Entry 36" x 6-8 door & two 12" sides & SHF644 Seg Trans	W	\$1365	\$1974	\$1650	\$2310	\$2310
CSL121 684ET	JK121 684ET	4-5/8" Entry 36" x 6-8 door & two 14" sides & EJ6820 Ellip.Trans	E	\$1175	\$1974	\$1650	\$2310	\$2310
CSL121 684HT	JK121 684HT	4-5/8" - 36" x 6-8 door & two 14" sides & HJ6834 Half Circ.Trans	F	\$1175	\$2190	\$1650	\$2310	\$2310
CSL121 684RT	JK121 684RT	4-5/8"-32" or 36" x 6-8 door & two 12" or 14" sides & Rect. Trans	D	\$1365	\$1386	\$1650	\$2310	\$2310
CSL121 684SHF	JK121 684SHF	4-5/8" Entry 36" x 6-8 door & two 14" sides & SHF684 Seg.Trans	W	\$725	\$1974	\$1650	\$2310	\$2310
PH200 684	JK200 684	4-5/8" Entry two 30", 32" or 36" x 6-8 Doors	G	\$330	\$810	\$1200	\$1680	\$1680
PH201 684ET	JK201 684ET	4-5/8" Entry two 36" x 6-8 Doors & EJ7420 Ellip. Transom	J	\$975	\$1830	\$1500	\$2100	\$2100
PH201 684HT	JK201 684HT	4-5/8" Entry two 36" x 6-8 doors & HJ7437 half round transom	K	\$975	\$1914	\$1500	\$2100	\$2100
PH201 684RT	JK201 684RT	4-5/8" Entry two 32" or 36" x 6-8 Doors & Rectangular Transom	I	\$1150	\$1182	\$1500	\$2100	\$2100
PH201 684SHF	JK201 684SHF	4-5/8" Entry two 36" x 6-8 doors & SHF744 Segment Head Trans	X	\$510	\$1770	\$1500	\$2100	\$2100
CSL220 684	JK220 684	4-5/8" two 30",32",or 36"x 6-8 Doors and two 12" or 14" sides	H	\$650	\$1494	\$1675	\$2345	\$2345

6-8 height - 6-5/8" jamb width Single and Double Door Entryway Configurations

Prehang Unit Number	Jamb Kit Number	Entryway Description	Entryway Configuration	jamb kit	prehang cost	finish 1 charge	finish 2 charge	finish 3 charge
PH100 686	JK100 686	6-5/8" Entry for single 30", 32", or 36" x 6-8 Door	A	\$338	\$545	\$750	\$1050	\$1050
PH100 686HT	JK100 686HT	6-5/8" Entry 36" x 6-8 Door & 36" Half Circle Small Transom	B	\$979	\$1104	\$1100	\$1540	\$1540
CSL120 686	JK120 686	6-5/8" Entry 32" or 36" x 6-8 Door & two 12" or 14" Sidelites	C	\$743	\$1194	\$1350	\$1890	\$1890
CSL121 646ET	JK121 646ET	6-5/8" Entry 36" x 6-8 door & two 12" sidelites & EJ6418 Ellip trans	E	\$1586	\$1974	\$1650	\$2310	\$2310
CSL121 646HT	JK121 646HT	6-5/8" -36" x 6-8 door & two 12" sides & HJ6432 Half Circ. Trans	F	\$1586	\$2190	\$1650	\$2310	\$2310
CSL121 646SHF	JK121 646SHF	6-5/8" Entry 36" x 6-8 door & two 12" sides & SHF646 Seg Trans	W	\$1843	\$1974	\$1650	\$2310	\$2310
CSL121 686ET	JK121 686ET	6-5/8" Entry 36" x 6-8 door & two 14" sides & EJ6820 Ellip.Trans	E	\$1586	\$1974	\$1650	\$2310	\$2310
CSL121 686HT	JK121 686HT	6-5/8" -36" x 6-8 door & two 14" sides & HJ68342 Half Circ.Trans	F	\$1586	\$2190	\$1650	\$2310	\$2310
CSL121 686RT	JK121 686RT	6-5/8" - 32" or 36" x 6-8 door & two 12" or 14" sides & Rect. Trans	D	\$1843	\$1386	\$1650	\$2310	\$2310
CSL121 686SHF	JK121 686SHF	6-5/8" Entry 36" x 6-8 door & two 14" sides & SHF686 Seg Trans	W	\$979	\$1974	\$1650	\$2310	\$2310
PH200 686	JK200 686	6-5/8" Entry two 30", 32" or 36" x 6-8 Doors	G	\$446	\$810	\$1200	\$1680	\$1680
PH201 686ET	JK201 686ET	6-5/8" Entry two 36" x 6-8 Doors & EJ7420 Ellip. Transom	J	\$1316	\$1830	\$1500	\$2100	\$2100
PH201 686HT	JK201 686HT	6-5/8" Entry two 36" x 6-8 doors & HJ7437 half round transom	K	\$1316	\$1914	\$1500	\$2100	\$2100
PH201 686RT	JK201 686RT	6-5/8" Entry two 32" or 36" x 6-8 Doors & Rectangular Transom	I	\$1553	\$1182	\$1500	\$2100	\$2100
PH201 686SHF	JK201 686SHF	6-5/8" Entry two 36" x 6-8 doors & SHF746 Segment Head Trans	X	\$689	\$1770	\$1500	\$2100	\$2100
CSL220 686	JK220 686	6-5/8" - two 30", 32", or 36" x 6-8 Doors and two 12" or 14" sides	H	\$878	\$1494	\$1675	\$2345	\$2345



Section C: Pricing on Jamb Kits, Prehangs, Components and Prefinishing of standard entryways

8-0 height - 4-5/8" jamb width Single and Double Door Entryway Configurations

Prehang Unit Number	Jamb Kit Number	Entryway Description	Entryway Configuration	jamb kit	prehang cost	finish 1 charge	finish 2 charge	finish 3 charge
PH100 804	JK100 804	4-5/8" Entry for single 30", 32", or 36" x 8-0 Door	L	\$325	\$594	\$775	\$1085	\$1085
PH100 804HT	JK100 804HT	4-5/8" Entry 36" x 8-0 Door & 36" Half Circle Small Transom	M	\$835	\$1194	\$1125	\$1575	\$1575
CSL120 804	JK120 804	4-5/8" Entry 32" or 36" x 8-0 Door & two 12" or 14" Sidelites	N	\$725	\$1410	\$1375	\$1925	\$1925
CSL121 804RT	JK121 804RT	4-5/8" - 32" or 36" x 8-0 door & two 12" or 14" sides & Rect Trans	O	\$895	\$1590	\$1675	\$2345	\$2345
CSL121 844ET	JK121 844ET	4-5/8" Entry 36" x 8-0 door & two 12" sidelites & EJ6418 Ellip trans	P	\$1365	\$2220	\$1675	\$2345	\$2345
CSL121 844HT	JK121 844HT	4-5/8" - 36" x 8-0 door & two 12" sides & HJ6432 Half CircTrans	Q	\$1365	\$2394	\$1675	\$2345	\$2345
CSL121 844SHF	JK121 844SHF	4-5/8" Entry 36" x 8-0 door & two 12" sides & SHF644 Seg Trans	Y	\$1545	\$2220	\$1675	\$2345	\$2345
CSL121 884ET	JK121 884ET	4-5/8" Entry 36" x 8-0 door & two 14" sides & EJ6820 Ellip. Trans	P	\$1365	\$2220	\$1675	\$2345	\$2345
CSL121 884HT	JK121 884HT	4-5/8" - 36" x 8-0 door & two 14" sides & HJ6834 Half CircTrans	Q	\$1365	\$2394	\$1675	\$2345	\$2345
CSL121 884SHF	JK121 884SHF	4-5/8" Entry 36" x 8-0 door & two 14" sides & SHF884 SegTrans	Y	\$1545	\$2220	\$1675	\$2345	\$2345
PH200 804	JK200 804	4-5/8" Entry two 30", 32" or 36" x 8-0 Doors	R	\$425	\$990	\$1250	\$1750	\$1750
PH201 804ET	JK201 804ET	4-5/8" Entry two 36" x 8-0 Doors & EJ7420 Ellip. Transom	U	\$1075	\$1794	\$1500	\$2100	\$2100
PH201 804HT	JK201 804HT	4-5/8" Entry two 36" x 8-0 doors & HJ7437 half round transom	V	\$1075	\$2034	\$1500	\$2100	\$2100
PH201 804RT	JK201 804RT	4-5/8" Entry two 32" or 36" x 8-0 Doors & Rectangular Transom	T	\$1200	\$1302	\$1500	\$2100	\$2100
PH201 804SHF	JK201 804SHF	4-5/8" Entry two 36" x 8-0 doors & SHF744 Segment Head Trans	Z	\$590	\$1878	\$1500	\$2100	\$2100
CSL220 804	JK220 804	4-5/8" - two 30", 32", or 36" x 8-0 Doors and two 12" or 14" sides	S	\$725	\$1794	\$1675	\$2345	\$2345

8-0 height - 6-5/8" jamb width Single and Double Door Entryway Configurations

Prehang Unit Number	Jamb Kit Number	Entryway Description	Entryway Configuration	jamb kit	prehang cost	finish 1 charge	finish 2 charge	finish 3 charge
PH100 806	JK100 806	6-5/8" Entry for single 30", 32", or 36" x 8-0 Door	L	\$439	\$594	\$775	\$1085	\$1085
PH100 806HT	JK100 806HT	6-5/8" Entry 36" x 8-0 Door & 36" Half Circle Small Transom	M	\$1127	\$1194	\$1125	\$1575	\$1575
CSL120 806	JK120 806	6-5/8" Entry 32" or 36" x 8-0 Door & two 12" or 14" Sidelites	N	\$979	\$1410	\$1375	\$1925	\$1925
CSL121 806RT	JK121 806RT	6-5/8" - 32" or 36" x 8-0 door & two 12" & 14" sides & Rect. Trans	O	\$1208	\$1590	\$1675	\$2345	\$2345
CSL121 846ET	JK121 846ET	6-5/8" - 36" x 8-0 door & two 12" sidelites & EJ6418 Ellip trans	P	\$1843	\$2220	\$1675	\$2345	\$2345
CSL121 846HT	JK121 846HT	6-5/8" - 36" x 8-0 door & two 12" sides & HJ6432 Half Circ.Trans	Q	\$1843	\$2394	\$1675	\$2345	\$2345
CSL121 846SHF	JK121 846SHF	6-5/8" Entry 36" x 8-0 door & two 12" sides & SHF646 Seg Trans	Y	\$2086	\$2220	\$1675	\$2345	\$2345
CSL121 886ET	JK121 886ET	6-5/8" Entry 36" x 8-0 door & two 14" sides & EJ6820 Ellip.Trans	P	\$1843	\$2220	\$1675	\$2345	\$2345
CSL121 886HT	JK121 886HT	6-5/8" - 36" x 8-0 door & two 14" sides & HJ6834 Half Circ.Trans	Q	\$1843	\$2394	\$1675	\$2345	\$2345
CSL121 886SHF	JK121 886SHF	6-5/8" Entry 36" x 8-0 door & two 14" sides & SHF686 Seg. Trans	Y	\$2086	\$2220	\$1675	\$2345	\$2345
PH200 806	JK200 806	6-5/8" Entry two 30", 32" or 36" x 8-0 Doors	R	\$574	\$990	\$1250	\$1750	\$1750
PH201 806ET	JK201 806ET	6-5/8" Entry two 36" x 8-0 Doors & EJ7420 Ellip. Transom	U	\$1451	\$1794	\$1500	\$2100	\$2100
PH201 806HT	JK201 806HT	6-5/8" Entry two 36" x 8-0 doors & HJ7437 half round transom	V	\$1451	\$2034	\$1500	\$2100	\$2100
PH201 806RT	JK201 806RT	6-5/8" Entry two 32" or 36" x 8-0 Doors & Rectangular Transom	T	\$1620	\$1302	\$1500	\$2100	\$2100
PH201 806SHF	JK201 806SHF	6-5/8" Entry two 36" x 8-0 doors & SHF746 Segment Head Trans	Z	\$797	\$1878	\$1500	\$2100	\$2100
CSL220 806	JK220 806	6-5/8" - two 30", 32", or 36" x 8-0 Doors and two 12" or 14" sides	S	\$979	\$1794	\$1675	\$2345	\$2345

Individual Product Finishing Costs:

The cost for the finishing of a door, sidelight, transom, or jamb unit varies depending upon the products size, type of finish and production time. Suggested Retail Pricing as follows:

<u>item</u>	<u>Finish 1</u>	<u>Finish 2</u>	<u>Distressed Finish 3</u>
Doors up to 3-0 x 6-8 in size	\$ 350each	\$490 each	\$ 490 each
Doors over 3-0 x 6-8 (including 8-0 high doors)	\$ 375 each	\$525 each	\$ 525 each
All Sidelights or Transom frames or Sash	\$ 250 each	\$350 each	\$ 350 each

Refer to the prior two pages for specific finishing cost information for our individual entryway configurations. In addition, more specific prefinishing information is listed for each entryway shown in our catalogs in the individual catalog price list.